

MAP 1. *Daption capense* (Cape Pigeon)

- winter records (see Note 2)
- summer records
- common (along coastal regions); seen frequently (along ship tracks)
- breeding locality

NORTHERN RECORDS
Known at several localities north of the region mapped. See, for example, references 73 and 622.



MAP 2. *Fulmarus glacialoides* (Southern Fulmar)

- observation or specimen
- common (along coastal region); seen frequently (along ship tracks)
- breeding locality

NORTHERN RECORDS
Known at a few localities north of the region mapped. See, for example, references 72 and 537.

BREEDING SITES

Daption capense

LOCALITY†	REFERENCE
Bouvet I.	267, 587
Crozet Is.	
Île de la Possession	388
Île de l'Est	190
Kerguelen Is.	190, 228
Heard I.	165, 190
Macquarie I.	324
Campbell I.	31
Snares Is.	198, 603
Antipodes Is.	198
Bounty Is.	198
Antarctica and adjacent islands	
Enderby Land	
Proclamation I.	190
Mac. Robertson Land	
Scullin Monolith	190
Murray Monolith	190
Lambert Glacier—Wilkes Land	
Vestfold Hills	315
Wilhelm II Coast	270
Haswell Is.	190
Wilkes Land	
Nelly I.	270
Windmill Is.	447
Géologie Archipelago	485, 486
Cape Jules	118
Cape-Pigeon Rocks	190
Balleny Is.	153
Peter I I.	266
Antarctic Peninsula area	
Gerlache Strait	270
Tower I.	679
Ètna I.	270
Wideopen Is.	270
Danger Is.	270
South Shetland Is.	
Deception I.	28, 30, 205, 266
Nelson I.	678
Elephant I.	679
South Orkney Is.	20, 125, 438
South Georgia	647
South Sandwich Is.	
Leskov I.	297, 662
Visokoi I. (?)	297
Vindication I.	689, 697
Saunders I.	662
Montagu I.	662

†See Appendix

Notes

A number in parentheses following the name of a locality indicates the number of breeding-site symbols shown on the map at that locality.

A bracket which groups two or more geographic names indicates that the localities are represented by a single breeding symbol.

A question mark following a geographic name means confirmation of breeding is needed for that site.

Fulmarus glacialoides

LOCALITY†	REFERENCE
Bouvet I.	60, 263, 587
Antarctica and adjacent islands	
Enderby Land	
Proclamation I.	190
Mac. Robertson Land	
Scullin Monolith	190
Lambert Glacier—Wilkes Land	
Vestfold Hills	315
Haswell Is.	315
Wilkes Land	
Windmill Is.	315, 447
Géologie Archipelago	486
Stillwell I.	190
Cape-Pigeon Rocks	190
Balleny Is. (?)	153
Peter I I.	264, 266
Antarctic Peninsula area	
Cape Roquemaurel	125
Young Point (?)	540
Penguin Point	190
South Shetland Is.	
Deception I. (?)	205
Gibbs I.	680
Clarence I.	590
South Orkney Is. (2)	20, 124
South Sandwich Is.	234, 297, 662, 697, 698
Visokoi I.	
Vindication I.	
Saunders I.	
Montagu I.	
Bristol I.	

NOTES

(1) Numbers by symbols refer to bibliography.
(2) *Daption capense* records are sufficiently extensive to separate by season. This separation has not been attempted for any other species, however. 'Summer' is defined here as November through March.
(3) Maps compiled by J. Phillip Angle, Peter C. Harper, Margaret A. Bridge, and Maria M. Boyd.

AMERICAN GEOGRAPHICAL SOCIETY—1971