PRIONS

GADFLY PETRELS (SHEET 1)



MAP 1. *Pachyptila desolata* (Antarctic or Dove Prion)

- observation (reference 234)
- specimen (reference 234)
- observation (other sources)
- specimen (other sources)
- common in this area
- breeding locality

NORTHERN RECORDS

Known at a few localities north of the region mapped. See, for example, references 285, 484, 560, and 588.

NOTES

(1) Numbers by symbols refer to bibliography.
(2) Maps compiled by J. Phillip Angle, Peter C. Harper, Margaret A. Bridge, and Maria M. Boyd.



MAP 2

Pachyptila vittata (Broad-billed Prion)

- *P.v. salvini*, specimen
- *P.v. salvini*, specimen records common throughout these areas, but only carcasses found in winter in western and southern Australia and in New Zealand
- breeding locality (v = *P.v. vittata;* m = *P.v. macgillivrayi;* s = *P.v. salvini*)

NORTHERN RECORDS

P.v. salvini known at a few localities north of the region mapped. See, for example, references 362 and 560.

Pachyptila crassirostris (Fulmar Prion)

- specimen
- breeding locality

NORTHERN RECORDS

Known at a few localities north of the region mapped. See, for example, references 122, 361, and 560.

Pachyptila belcheri (Narrow-billed Prion)

- observation (reference 234)
- specimen
- occurs occasionally in this area
- breeding locality

NORTHERN RECORDS

Known at a few localities north of the region mapped. See, for example, references 121, 285, and 484.

Pachyptila turtur (Fairy Prion)

- observation
- specimen
- specimen records throughout this area
- breeding locality

NORTHERN RECORDS

At least one record north of the region mapped: Arica, Chile (18°30'S, 69°50'W), reference 440.



MAP 3. *Halobaena caerulea* (Blue Petrel)

- observation or specimen
- breeding locality

NORTHERN RECORDS

Known at a few localities north of the region mapped. See, for example, references 10, 459, 557, and 688.

PLATE 7

FOLIO 14—ANTARCTIC BIRDS

ANTARCTIC MAP FOLIO SERIES

BREEDING SITES

Pachyptila desolata

LOCALITY†	REFERENCE
Kerguelen Is.	190
Heard I.	165
Macquarie I.	190, 324
Auckland Is.	198
Antarctica and adjacent islands	
Wilkes Land	
Cape Denison	190
Scott Island	234
South Orkney Is.	
Signy I.	646
South Georgia	409
South Sandwich Is.	
Leskov I.	662
Bellingshausen I.	662

Pachyptila vittata

LOCALITY†	REFERENCE
P. v. vittata	
Tristan da Cunha Group	181
Gough I.	634
Snares Is.	198
Islands off Stewart I.	198
Chatham Is.	198
P. v. salvini	
Prince Edward Is.	
Marion I.	494
Crozet Is.	590
P. v. macgillivrayi	
St. Paul I.	290
Amsterdam I. (formerly)	291

Pachyptila belcheri

LOCALITY†	REFERENCE
Kerguelen Is.	190
Falkland Is.	117

Pachyptila turtur

LOCALITY†	REFERENCE
Prince Edward Is.	
Marion I.	661
Australia	
One unnamed locality on continent	22
Islands in Bass Strait (2)	22, 375
Tasmania (2)	105
Macquarie I. (?)	105
Snares Is.	434
Stewart I.	434
New Zealand	
Foveaux Strait	198
Both main islands (5)	198, 434
Cook Strait	198, 434
Antipodes Is.	434
Chatham Is.	198, 434
Falkland Is.	
Beauchêne I.	627

Pachyptila crassirostris

LOCALITY†	REFERENCE
Kerguelen Is.	190
Heard I.	165, 190
Auckland Is.	194
Antipodes Is.	434
Bounty Is.	434
Chatham Is.	198, 434

Halobaena caerulea

LOCALITY†	REFERENCE
Prince Edward Is.	
Marion I.	139, 494
Crozet Is.	388
Kerguelen Is.	190, 389, 464
Macquarie I. (?)	198, 296
South Orkney Is.	
Signy I. (?)	20 (see text)
Falkland Is. (?)	53, 117

†See Appendix

Notes

A number in parentheses following the name of a locality indicates the number of breeding-site symbols shown on the map at that locality.

A question mark following a geographic name means confirmation of breeding is needed for that site.

AMERICAN GEOGRAPHICAL SOCIETY—1971